

Tue, 21 Feb 2006, 9:40:49 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1	(((command* or instruction* or store or load) <near/5> (queue* or buffer*) and snapshot*)<in>metadata)	0
#2	(((command* or instruction* OR store OR load) <near/5> (queue* OR buffer*)) AND snapshot*	444
#3	(((command* or instruction* or store or load) <near/5> (queue* or buffer*)) <paragraph> snapshot*<IN>metadata)	0
#4	(((command* or instruction* or store or load) <near/5> (queue* or buffer*)) <near/5> snapshot*<in>metadata)	0
#5	(((command* or instruction* or store or load) <near/5> (queue* or buffer*)) <near/5> (snapshot* or backup or copy* or copie*) <in>metadata)	3

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	85	(snapshot\$1 OR backup\$1) near5 (FIFO OR (first ADJ in ADJ first ADJ out))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:18
L14	148652	(command\$1 OR operation\$1 OR instruction\$1 OR store\$1 OR load\$1 OR issue\$1) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:19
L15	14	L13 SAME L14	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:22
L16	53	L13 AND L14 NOT L15	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:22
L17	5943	(711/156,125,158,118,144,154).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/21 09:23
L18	122	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/21 09:23
L19	2320	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/21 09:23
L20	8301	(L17 OR L18 OR L19)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:23
L21	0	L16 AND L20	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:23
L22	1	L13 AND L20	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:23
L23	1	checkpoint\$3 near5 cop\$4 near5 L14	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:27

EAST Search History

L24	10	checkpoint\$3 WITH cop\$4 WITH L14	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:29
L25	6	(context ADJ switch\$3) WITH cop\$4 WITH L14	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:30
S1	11	(barrick-brian-\$ OR barrick-brian).in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:01
S2	10	((("20040044881") or ("20030217251") or ("5999727") or ("5923900") or ("5987595")).PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/10 15:32
S3	5915	(711/156,125,158,118,144,154).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/10 15:32
S4	120	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/10 15:32
S5	2316	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/10 15:33
S6	8267	(S3 OR S4 OR S5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:33
S8	271254	(command\$3 OR instruction OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queue\$3 OR sequenc\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:49
S9	354224	(command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queue\$3 OR sequenc\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 11:54
S10	601403	(depend\$3 OR dependenc\$ OR rel\$3 OR relian\$2 OR contingent OR based OR basing) near5 (command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:25

EAST Search History

S11	13918	S9 near8 S10	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:53
S12	26161	(valid\$5) near4 (bit\$1 OR byte\$1 OR tag\$1 OR tagg\$3 OR flag\$1 OR indicator\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:53
S13	395	(S9 near8 S10) AND (S9 near8 S12)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:23
S14	5915	(711/156,125,158,118,144,154). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/10 15:55
S15	120	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/10 15:54
S16	2316	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/10 15:54
S17	8267	(S14 OR S15 OR S16)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:54
S18	158	S13 AND S17	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:54
S19	13	(S9 near8 S10) AND (S9 near8 S12) AND (S9 near8 (snapshot\$1 OR imag\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 15:56
S20	196163	(command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queu\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:23
S21	304	(S20 near8 S10) AND (S20 near8 S12)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:23

EAST Search History

S22	245	(S20 near5 S10) AND (S20 near5 S12)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/10 16:23
S24	40	(S20 near5 S10) SAME (S20 near5 S12)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:10
S25	49	(US-4543626-\$ or US-5016161-\$ or US-5790813-\$ or US-5016166-\$ or US-5283899-\$ or US-5687316-\$ or US-6055579-\$ or US-4530055-\$ or US-6827023-\$ or US-6148366-\$ or US-5915092-\$ or US-4425615-\$ or US-4310882-\$ or US-RE35922-\$ or US-5423039-\$ or US-5657471-\$ or US-4546430-\$ or US-5696930-\$ or US-6453316-\$ or US-6676089-\$ or US-6088771-\$ or US-6702235-\$ or US-6530329-\$ or US-6494408-\$ or US-5640596-\$ or US-6065406-\$). did. or (US-6460467-\$ or US-6170042-\$ or US-5765200-\$ or US-6216178-\$ or US-6230243-\$ or US-5990913-\$ or US-5638538-\$ or US-6055602-\$ or US-6182177-\$ or US-5758075-\$ or US-5708779-\$ or US-5890208-\$ or US-5371887-\$ or US-6267061-\$ or US-6270040-\$ or US-5386514-\$ or US-5603063-\$ or US-6909945-\$ or US-4451897-\$ or US-6877699-\$ or US-6202080-\$ or US-4884228-\$ or US-5717954-\$). did.	USPAT	OR	ON	2006/02/15 12:14
S26	1871512	(snapshot\$1 OR imag\$3 OR (shadow ADJ (copy\$3 OR copi\$2)) OR copy\$3 OR copi\$2)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:24
S27	196415	(command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queue\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:40
S28	19779	S26 near5 S27	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:24
S29	6	S28 AND S25	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:19

EAST Search History

S30	1629173	(snapshot\$1 OR imag\$3 OR (shadow ADJ (copy\$3 OR copi\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 13:27
S31	16488	S30 near5 S27	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 13:16
S32	5924	(711/156,125,158,118,144,154). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/15 12:26
S33	120	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/15 12:26
S34	2320	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/15 12:26
S35	8280	(S32 OR S33 OR S34)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:26
S36	88	(S30 near5 S27) AND S35	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 13:28
S37	26199	(valid\$5) near4 (bit\$1 OR byte\$1 OR tag\$1 OR tagg\$3 OR flag\$1 OR indicator\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 13:18
S38	32	(S30 near5 S27) AND (S27 near5 S37)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 13:18
S39	14956	(snapshot\$1 OR (shadow ADJ (copy\$3 OR copi\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:39
S40	17	(S39 near5 S27) AND S35	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:41
S41	2	("5675759").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/15 14:27

EAST Search History

S42	2	("20030005265").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/15 14:27
S43	22510	(snapshot\$1 OR (shadow ADJ (copy\$3 OR copi\$2)) OR checkpoint\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:39
S44	155837	(command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near2 (queu\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:40
S45	211	(S43 near5 S44)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:46
S46	18	(S43 near5 S44) AND S35 NOT S40	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:42
S48	6360	((add OR stor\$3) near5 queue\$1) OR queueing OR queued) near5 (command\$3 OR operation\$1 OR instruction\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:49
S49	15	S45 SAME S48	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 14:49
S50	147639	((retir\$3 OR deallocat\$3 OR de-allocat\$3 OR remov\$3 OR delet\$3 or eliminat\$3) near3 (command\$3 OR operation\$1 OR instruction\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:42
S51	1367	S50 near4 S44	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:59
S52	15	S51 AND S25	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 15:43
S53	94	(S50 near4 S44) AND (S44 near4 S37)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:00

EAST Search History

S54	58	(S50 near4 S44) AND (S44 near4 S37) AND (disambiguation OR dis-ambiguation OR "out of order" OR "out-of-order")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:35
S55	18029	(clear\$3 OR remov\$3 OR delet\$3 eliminat\$3 OR updat\$3 OR releas\$3) near5 (depend\$3 OR dependenc\$ OR rel\$3 OR relian\$2 OR contingent OR based OR basing) near5 (command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:53
S56	18	(S50 near4 S44) AND (S44 near4 S37) AND S55 AND (disambiguation OR dis-ambiguation OR "out of order" OR "out-of-order")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 16:36
S57	21	(US-20020083304-\$ or US-20030196075-\$ or US-20040015740-\$ or US-20040215933-\$ or US-20050160203-\$).did. or (US-5418916-\$ or US-5495587-\$ or US-5519841-\$ or US-5655096-\$ or US-5799179-\$ or US-5898854-\$ or US-5907860-\$ or US-6081507-\$ or US-6216215-\$ or US-6289437-\$ or US-6651161-\$ or US-6754751-\$ or US-6915395-\$ or US-6928533-\$ or US-6986024-\$).did. or (US-20050160203-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/16 16:57
S58	9	(computer ADJ program\$1 OR medium OR program ADJ product\$1) AND S57	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 17:40
S59	10	(command near2 (queue\$1 OR buffer\$1)) near5 snapshot\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 17:41
S60	4	(command near2 (queue\$1 OR buffer\$1)) near5 (snapshot\$1 OR backup) NOT S59	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 17:44
S62	85	((command OR instruction OR store OR load) near2 (queue\$1 OR buffer\$1)) near5 (snapshot\$1 OR backup) NOT (S59 OR S60)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:10
S63	1	((command OR instruction OR store OR load) near2 (queue\$1 OR buffer\$1) near3 (order\$3 OR sequence\$1)) near5 (snapshot\$1 OR backup)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:11

EAST Search History

S64	9	((command OR instruction OR store OR load) near2 (queue\$1 OR buffer\$1) near3 (order\$3 OR sequence\$1)) WITH (snapshot\$1 OR backup)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:15
S65	2	((command OR instruction OR store OR load) near3 (queue\$1 OR buffer\$1) near5 (order\$3 OR sequence\$1)) WITH (snapshot\$1 OR backup) NOT S64	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:16
S66	34	FIFO near3 snapshot\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 11:15
S67	26	(US-20050160203-\$ or US-20020124160-\$ or US-20040215933-\$ or US-20020083304-\$ or US-20030196075-\$ or US-20040015740-\$ or US-20040120250-\$).did. or (US-6651161-\$ or US-6289437-\$ or US-5907860-\$ or US-6754751-\$ or US-6928533-\$ or US-6986024-\$ or US-6081507-\$ or US-5655096-\$ or US-6915395-\$ or US-5799179-\$ or US-5519841-\$ or US-5495587-\$ or US-5418916-\$ or US-5363503-\$ or US-6216215-\$ or US-5898854-\$ or US-6374347-\$ or US-5805876-\$). did. or (US-20050160203-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 12:46
S68	32501	(clear\$3 OR remov\$3 OR delet\$3 eliminat\$3 OR releas\$3) near5 (depend\$3 OR dependenc\$ OR rel\$4 OR relian\$2 OR contingen\$4) WITH (command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:57

EAST Search History

S69	49	(US-4543626-\$ or US-5016161-\$ or US-5790813-\$ or US-5016166-\$ or US-5283899-\$ or US-5687316-\$ or US-6055579-\$ or US-4530055-\$ or US-6827023-\$ or US-6148366-\$ or US-5915092-\$ or US-4425615-\$ or US-4310882-\$ or US-RE35922-\$ or US-5423039-\$ or US-5657471-\$ or US-4546430-\$ or US-5696930-\$ or US-6453316-\$ or US-6676089-\$ or US-6088771-\$ or US-6702235-\$ or US-6530329-\$ or US-6494408-\$ or US-5640596-\$ or US-6065406-\$). did. or (US-6460467-\$ or US-6170042-\$ or US-5765200-\$ or US-6216178-\$ or US-6230243-\$ or US-5990913-\$ or US-5638538-\$ or US-6055602-\$ or US-6182177-\$ or US-5758075-\$ or US-5708779-\$ or US-5890208-\$ or US-5371887-\$ or US-6267061-\$ or US-6270040-\$ or US-5386514-\$ or US-5603063-\$ or US-6909945-\$ or US-4451897-\$ or US-6877699-\$ or US-6202080-\$ or US-4884228-\$ or US-5717954-\$). did.	USPAT	OR	ON	2006/02/17 09:57
S70	10	S68 AND (S67 OR S69)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 09:57
S71	20813	((strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 11:42
S73	22070	((strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out) OR ROB OR (reorder ADJ buffer\$1) OR (re-order ADJ buffer\$1)) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:44
S74	4	((stack ADJ down)) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 11:45
S77	148477	(command\$1 OR operation\$1 OR instruction\$1 OR store\$1 OR load\$1 OR issue\$1) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:21
S78	6240	S77 WITH S73	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 12:47

EAST Search History

S79	1256	(head near5 pointer\$1) near5 (tail near5 pointer\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 12:48
S80	3	S73 near5 S79 near5 S77	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 12:52
S81	1	S71 near5 S79 near5 S77	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 12:52
S83	3	S71 near5 S79 SAME S77	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 14:33
S84	1	S83 AND (valid near2 bit\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 13:29
S86	0	S83 AND (dependen\$4 near3 bit\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 14:28
S87	2	S80 AND (dependen\$4 near3 bit\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 14:34
S88	8	S73 near5 S79 SAME S77	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 14:33
S89	2	S88 AND (dependen\$4 near3 bit\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/02/17 14:34
S90	43	S77 near5 (dependen\$4 near3 bit\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:34
S91	188400	((any OR multiple OR different OR various) near2 order\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:22
S92	247	S77 near5 S91	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:22
S93	1	S92 AND (S67 OR S69)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:23
S94	5929	(711/156,125,158,118,144,154). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:23

EAST Search History

S95	120	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:23
S96	2320	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/17 15:23
S97	8285	(S94 OR S95 OR S96)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:23
S98	62	S92 AND S97	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 15:23
S99	19	(snapshot\$1 OR backup\$1 OR checkpoint\$3) near5 ((command\$1 OR operation\$1 OR instruction\$1 OR store\$1 OR load\$1 OR issue\$1) near4 (queue\$1 OR buffer\$1)) near5 (order\$3 OR sequenc\$3 OR layout OR arrang\$3 OR arrangement\$1 OR composition)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:46
S100	2	("5,418,916").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/17 16:35
S101	50	(snapshot\$1 OR backup\$1 OR checkpoint\$3) WITH ((command\$1 OR operation\$1 OR instruction\$1 OR store\$1 OR load\$1 OR issue\$1) near3 (queue\$1 OR buffer\$1)) WITH (order\$3 OR sequenc\$3 OR layout OR arrang\$3 OR arrangement\$1 OR composition) NOT S99	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:25
S102	4	S101 AND S97	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:47
S103	13	(snapshot\$1 OR backup\$1 OR checkpoint\$3 OR cop\$4) near5 (ROB OR (reorder ADJ buffer\$1) OR (re-order ADJ buffer\$1)) SAME S77	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/21 09:18